



OFFICE OF PLANNING STATE OF HAWAII

235 South Beretania Street, 6th Floor, Honolulu, Hawaii 96813
Mailing Address: P.O. Box 2359, Honolulu, Hawaii 96804

Telephone: (808) 587-2846
Fax: (808) 587-2824
Web: <http://planning.hawaii.gov/>

WDC0864
DAVID Y. IGE
GOVERNOR

LEO R. ASUNCION
ACTING DIRECTOR
OFFICE OF PLANNING

Ref. No. P-14708

April 7, 2015

2015 APR 10 7:59 AM
up

Mr. Ronald J. Wagner
Honua Engineering, Inc.
P.O. Box 851
Hanalei, Hawaii 96714

Dear Mr. Wagner:


Subject: Hawaii Coastal Zone Management (CZM) Program Federal Consistency
Review for Moloaa Stream Bank Stabilization at 3578 B Moloaa Road, Moloaa,
Kauai; TMK (4) 4-9-14: 21
Department of the Army Permit File No. POH-2010-00318

This responds to your letter dated April 3, 2015 (received April 6, 2015), in which you provide an update on the status of the Section 401 Water Quality Certification (WQC) application (WQC0864) and request confirmation that the CZM federal consistency review is still active. As a point of clarification, in order to complete the CZM federal consistency application a copy of the completed WQC application is required and not the actual "WQC permit," as referred to in your letter. As identified in our letter to the applicant, Mr. David R. Houston, dated August 21, 2012 (copy enclosed), item no. 3 requires submittal of a copy of the completed WQC application and written verification from the Department of Health that the application is complete. Items no. 1 and no. 2 have already been completed. Also, as stated in our letter dated August 21, 2012, upon receiving all of the information necessary to complete the CZM application, the federal consistency review will commence and a public notice will be published in the State Office of Environmental Quality Control publication "The Environmental Notice." The public will be provided an opportunity to review and comment on the proposed action. Comments received will be referred to you for a response.

Mr. Ronald J. Wagner
April 7, 2015
Page 2

Please note that Mr. Jesse Souki is no longer the Director of the Office of Planning. If you have any questions please call John Nakagawa of our CZM Program at 587-2878.

Sincerely,

A handwritten signature in black ink, appearing to read 'L. Asuncion', with a stylized flourish at the end.

Leo R. Asuncion
Acting Director

Enclosure

c: Mr. David R. Houston
Ms. Jessie Paahana, U.S. Army Corps of Engineers, Regulatory Office
✓ Mr. Edward Chen, Department of Health, Clean Water Branch



DEPARTMENT OF BUSINESS, ECONOMIC DEVELOPMENT & TOURISM

NEIL ABERCROMBIE
GOVERNOR
RICHARD C. LIM
DIRECTOR
MARY ALICE EVANS
DEPUTY DIRECTOR
JESSE K. SOUKI
DIRECTOR
OFFICE OF PLANNING

OFFICE OF PLANNING

235 South Beretania Street, 6th Floor, Honolulu, Hawaii 96813
Mailing Address: P.O. Box 2359, Honolulu, Hawaii 96804

Telephone: (808) 587-2846
Fax: (808) 587-2824

Ref. No. P-13696

August 21, 2012

Mr. David R. Houston
432 Court Street
Reno, Nevada 89501

Dear Mr. Houston:

Subject: Hawaii Coastal Zone Management (CZM) Program Federal Consistency
Review for Moloaa Stream Bank Stabilization at 3578 B Moloaa Road,
Moloaa, Kauai; TMK (4) 4-9-14: 21
Department of the Army Permit File No. POH-2010-00318

Your application for CZM federal consistency review for the proposed construction of a boulder riprap structure along the bank of Moloaa Stream fronting the subject property, which was received on August 20, 2012, is incomplete. The following information is required to complete the CZM application and accept it for commencing the federal consistency review.

1. A copy of the application for the Department of the Army Permit is required by federal consistency regulations, 15 CFR §930.58(a)(1). This item was not included with the CZM application.
2. A copy of the information requested by the U.S. Army Corps of Engineers in its "Transmittal of Public Notice Comments" (August 16, 2012). This information is considered to be "material relevant to a State's management program provided to the Federal agency in support of the application," pursuant to federal consistency regulations, 15 CFR §930.58(a)(1)(i).
3. A copy of the completed Section 401 Water Quality Certification (WQC) application to the Department of Health (DOH) and written verification from the DOH that the application is complete. This item was not included with the CZM application. Federal consistency regulations, 15 CFR §930.58(a)(2), identify the necessary data and information for consistency certifications which includes, "completed State or local government permit applications which are required for the proposed activity."

Upon receiving all of the information necessary to complete the CZM application, the federal consistency review will commence and a public notice will be published in the State


Mr. David R. Houston
Page 2
August 21, 2012

Office of Environmental Quality Control's publication, "The Environmental Notice." The public will be provided an opportunity to review and comment on the proposed action. Comments received will be referred to you for a response.

The information identified above as necessary to complete the CZM federal consistency application is independent of any substantive information that may be required to fully evaluate the proposal and which may be identified during the CZM review or by comments received in response to the CZM public notice.

If you have any questions, please call John Nakagawa of our CZM Program at (808) 587-2878.

Sincerely,

A handwritten signature in black ink, appearing to read "Jesse K. Souki", is written over the printed name and title. The signature is stylized with loops and a long horizontal stroke extending to the right.

Jesse K. Souki
Director

c: Mr. Ronald Wagner, Honua Engineering
Ms. Jessie Paahana, U.S. Army Corps of Engineers, Regulatory Branch
Mr. Edward Chen, DOH, Clean Water Branch